

# AQUATOUGH 7

## 7" Touch-Panel Remote



**AQUACONTROL™ COMPATIBLE**

**SECURE TOUCHSCREEN CONTROL**

**WALL-MOUNTABLE**

**A** new addition to the AquaControl family is the AquaTouch7 Remote. This 7" color touch-panel provides secure remote-control access via Ethernet with wall-mount installation. The AquaTouch7 Remote is the perfect complement to AquaControl products like the AQM1208 & mXa1502. Offering convenient and intuitive touch-control of all remote functions, the AquaTouch7 uses a wired Ethernet connection to its host device, providing reliable and secure access. The AquaTouch7 is designed to be flush wall-mounted. PoE compatibility makes installation fast and simple.



- **Conference Rooms**
- **Retail Stores**
- **Hospitality**
- **Bars and Restaurants**
- **HoW and Auditoriums**




**TECHNICAL  
SPECS**  
on  
**PAGE THREE**

# AQUATOUGH 7

## Touch Panel

### AquaControl™ Compatible

The AquaTouch7 is designed to be compatible with all AquaControl-based devices, like the mXa1502 Mixer-amplifier and the AQM1208 Digital Zone Mixer, as well as other AquaControl models yet to come. All remote page functions served by the AquaControl web-server interface may be viewed and accessed by the AquaTouch7. These include Mixers, DCA Faders & Virtual WR-5 Zone Controller pages and others that may be developed in the future. One or more of these pages may be assigned to the AquaTouch7 for access by any user and multiple AquaTouch7 remotes may be connected to a single AquaControl device if needed.



### Secure Touchscreen Control

Offering secure wired Ethernet connectivity is just the start. The AquaTouch7 touchscreen allows access to only those remote pages that are assigned to particular user role upon logging in. If a user is only given permission to view a V. WR-5 Zone Controller, then that is all they will see. No worries about unauthorized access. In addition, a programmable screen time-out in the AquaTouch7 may be password protected to prevent access by any unauthorized user if they accidentally touch the screen. Safe, secure access.



### Wall-Mountable

Using the supplied wall-mount bracket, the AquaTouch7 may be mounted on-wall with a sleek, flush appearance. It provides an elegant in-wall design for clean-looking Installation. It is compatible with any standard single, dual-gang or 60mm Euro-style electrical boxes. And with wired CAT5 Ethernet, your connection is always secure.




AQUATOUGH7 SPECIFICATIONS	
Touchscreen Display:	7" TFT
Display Resolution:	800 x 1280 (16.7M colors)
Display Brightness:	400 NITS
Network Connectivity:	RJ45 Ethernet
Power Requirements:	PoE (802.3af)
Color:	White (frame)
Materials:	Front: Clear E-glass, Rear- ABS
Mounted Dimensions:	6.91" W x 4.53" H x .65" D (17.6cm x 11.5cm x 1.65cm)
Depth Behind Wall:	.75" (1.9cm)
Weight:	1.2lbs (.55kg)
Supplied accessories:	Wall-mount bracket

## Insatllation Kit

Screws and tool for  
bracket installation



Wall-Mount Bracket



1) Note:

### USER MANUAL



Download the full  
FX User Manual at  
[bit.ly/48cmKnH](https://bit.ly/48cmKnH)



TXT

**AQM 1208  
ARCHITECT &  
ENGINEERING  
SPECIFICATIONS**  
in .txt format are available in  
the **DOWNLOADS** section of  
<https://ashly.com/aquatouch7>

**AQM 1208  
2D AUTOCAD FILES**  
are available in the  
**DOWNLOADS** section of  
<https://ashly.com/aquatouch7>



Ashly Audio, Inc. • 847 Holt Road • Webster, NY  
USA • US toll-free +1.585.872.0010  
Fax +1.585.872.0739 • Sales@Ashly.com