# KD-X2x1WVTx

2x1 4K/18G 40m HDBT PoH Wall Plate Switcher with HDMI & VGA, IR, RS-232.
Transmitter Only.

Application: Classroom, Conference Room, Huddle Space, Training Room
Products shown: KD-X2x1WVTx, KD-X40MRx
System Delivery: Presenters with modern or legacy laptops plugin to wall plate at podium, table, or in wall. Signal extends to monitor up to 40m.

VGA

Audio

KD-X2x1WVTx

HDMI

Install at table, podium, or wall

CAT5e/6

HDBaseT Rx
Install behind display

KD-X40MRx

Application: Classroom, Lecture Hall, Conference Room, Board Room
Products shown: KD-PS42, KD-X40MRx, KD-X2x1WVTx, KD-Amp220, KD-App
System Delivery: Complete presentation system for large spaces. Presenter may plug in laptop or share content from Air Play or dedicated PC. User controls CEC projector, speech and audio volume using Key Digital App

iPad Control:
CEC Display power, AV Mute
Speaker volume and Mic mix video select

WiFi

KD-PS42

HDMI

CAT5e/6

KD-X40MRx

KD-Amp220 Amp/Pre-Amp

3rd Party Audio Amplifier for
Distributed/Expanded Audio
(optional)