

Sennheiser SpeechLine Digital Wireless – Available at IT-optimized Wireless Microphone Systems for Speech and Lecture



SpeechLine Digital Wireless is a digital wireless microphone system for speech and lecture. It is designed and optimized for university and corporate use. Thanks to its broad product portfolio, the system is particularly versatile and can be adapted to the requirements of individual applications. Our goal was to make the daily work of IT and AV managers easier. With the introduction of the new SpeechLine Multi-Channel Receiver, SpeechLine Digital Wireless presents the perfect audio solution for IT integration.



System Benefits

Perfect IT integration / Introducing the Multi-Channel Receiver

The system supports the most common IT standards and integrates smoothly into your existing IT infrastructure. Numerous connection options including two ethernet connectors with support for Power over Ethernet (PoE) and Dante™ make the system the ideal enhancement for your campus or corporate network. SpeechLine Digital Wireless can be operated as a stand-alone system or integrated into a 3rd party environment using plug-ins and protocols.



Seamless setup & maintenance / SpeechLine Digital Wireless makes your daily work easier.

With Sennheiser Control Cockpit, you will always have a complete overview and control of your campus-wide setups. Time-consuming manual workflows such as checking battery levels can be completed digitally in no time. Advanced system automation eliminates the need for manual frequency and interference management. This makes SpeechLine Digital Wireless a real time and money saver.



It simply works – every time.

The perfect microphone system simply works, every time. The use of SpeechLine Digital Wireless requires no introduction or explanation. As soon as the microphone is taken out of the network monitored charging station, it is immediately ready to use. With a battery life of 15 hours, the microphones are ready for even the longest workday.



A future-proof investment / Save time and money, now and in the future.

SpeechLine Digital Wireless operates in the license free 1.9 GHz frequency band and is a future-proof investment. The free Sennheiser Control Cockpit opens an important path to your future. Digital workflow for monitoring and controlling your entire system helps you to reduce maintenance and servicing costs.



Applications



Presentation and Lecture

For hands-free presentations, you can choose between wireless table stand, handheld or bodypack transmitter for use with lavalier or headmic – depending on the speaker's preferences.



Meeting

For conference rooms, the highly flexible wireless SL Boundary 114-S DW ensures best speech intelligibility and ease-of-use for all meeting participants.



Podium

For podium discussions, SpeechLine Digital Wireless provides the easiest to handle wireless SL Tablestand 133-S / 153-S DW for panelists and the SL Handheld DW for questions and reactions from the audience.



Main Components & Accessories



SL MCR DW – Choose two or four multi-channel receiver for SpeechLine Digital Wireless.



SL Rack Receiver DW – Traditional half 19" stationary SL Rack Receiver option.



SL Handheld – Sleek and robust; is optimized for speech in presentations or lectures where every word matters.



SL Bodypack – Compact and robust; is optimized for speech in presentations or lectures. Choose your lavalier or headset.



SL Boundary 114-S – Wireless table boundary microphone with half-cardioid pickup pattern. The product has a programmable microphone button (PTT, PTM, Toggle on/off, Permanent on) and a two-color LED ring as a status indicator. Can be charged wirelessly or via USB.



SL Tablestand 133-S – Sturdy, wireless table stand that provides a stable base for XLR-3 gooseneck microphones. It has a user-friendly microphone button with a two-color status display that provides quick visual feedback on whether the microphone is active or muted.



SL Tablestand 153-S – The SL Tablestand 153-S DW is dedicated to speech. For a solid connection with the MEG 14-40-L-II B gooseneck microphone, an XLR-5 socket is featured.



Meg 14-40 – Matte-black-painted, 40 cm gooseneck microphone with one flexible section, an XLR connection and built-in Sennheiser KE10 cardioid microphone capsule.

MEG 14-40 is compatible with SL Tablestand 133-S DW

MEG 14-40-L-II B is compatible SL Tablestand 153-S DW



CHG 2 / CHG 2N – 2-bay tabletop charger with power supply for SpeechLine. (N version is network enabled)



CHG 2W – Wireless power transmitter pad. It provides convenient wireless charging for 2 items.



CHG 4N – Network enabled charger featuring four individual charging bays.